

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/004,068	10/25/2001	Richard B. Streeter	VIA-13	6713
7590 11/04/2004		EXAMINER		
Pandiscio & Pandiscio 470 Totten Pond Road			BLANCO, JAVIER G	
Waltham, MA 02451-1914			ART UNIT	PAPER NUMBER
			3738	

DATE MAILED: 11/04/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Application No. Applicant(s) 10/004,068 STREETER, RICHARD B. Office Action Summary Examiner Art Unit Javier G. Blanco 3738 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). **Status** Responsive to communication(s) filed on <u>18 October 2004</u>. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-19 is/are pending in the application. 4a) Of the above claim(s) 7-11 and 13-17 is/are withdrawn from consideration. \_ is/are allowed. 5) Claim(s) 6) Claim(s) 1-6,12,18 and 19 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some \* c) ☐ None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) Interview Summary (PTO-413) Paper No(s)/Mail Date. 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Notice of Informal Patent Application (PTO-152) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 6) Other: U.S. Patent and Trademark Office

Art Unit: 3738

#### DETAILED ACTION

#### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 18, 2004 has been entered.

#### Claim Objections

2. Claim 18 is objected to because of the following informality: please add --at least a-- in front of "portion of" (see line 11). Appropriate correction is required.

#### Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claims 3-5 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- a. Regarding claim 3, "said configuration" (see line 2) lacks antecedent basis.
- b. Regarding claim 4, "the portion" (see line 2) lacks antecedent basis.
- c. Regarding claim 5, "the portion" (see line 2) lacks antecedent basis.

Application/Control Number: 10/004,068

Art Unit: 3738

# Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 6. Claims 1-6, 12, 18, and 19 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Mahmoodi (DE 296 18 925 U1).

As seen in Figures 1-4, Mahmoodi discloses a valve shield comprising a shaped sheet of material *adapted to* be fixed to the annulus (see bottom crescent-shaped bar/hoop/bracket) of a cardiac valve having first and second leaflets, said sheet of material having a surface area *configured to* match and overlie at least a portion of the first leaflet of the valve (see bottom crescent-shaped bar/hoop/bracket), and *adapted to* be contacted by a portion of the second leaflet of the valve, whereby to facilitate closing of the valve (compare Figure 3 with Figure 4; see entire document). It should be noted that the reconstruction shield, as a whole, comprises two connecting struts connecting two crescent-shaped bars/hoops/brackets. Because of the unitary structure, the connecting struts and/or top crescent-shaped bar/hoop/bracket meet the intended use recitation "adapted to be contacted by a portion of the second leaflet of the valve". Although not particularly disclosed by Mahmoodi, it is well known in the art to provide openings in order to suture these devices (i.e., shields, rings, or annuloplasty rings) to the valve leaflet and/or annulus.

Application/Control Number: 10/004,068

Art Unit: 3738

### Response to Arguments

 Applicant's arguments filed October 18, 2004 have been fully considered but they are not persuasive.

It is noted that Applicant's arguments are based on functional language and/or intended use recitations. The intended use recitations (i.e., "configured to match and overlie", "adapted to be contacted by a portion of the second leaflet", "adapted to prevent prolapse of the first leaflet") carry no patentable weight in the absence of any distinguishing structure. Mahmoodi (DE 296 18 925 U1) disclose the structure (and intended use) as claimed and is found to be inherently capable of performing the function.

#### Conclusion

8. All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action after the filing of a request for continued examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

Art Unit: 3738

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's 9. disclosure: Angell (US 4,042,979 A).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Javier G. Blanco whose telephone number is 703-605-4259. The examiner can normally be reached on M-F (7:30 a.m.-4:00 p.m.), first Friday of the bi-week off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on 703-308-2111. The fax phone numbers for the organization where this application or proceeding is assigned is 703-872-9306 for regular communications and After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

**JGB** 

October 28, 2004

Primary Examiner